



Anaheim Office
May 10, 2023
Report 23-121-0026

Zanker Landscape Materials
675 Los Esteros Road
San Jose, CA 95134

Attn: Marin & Beto

RE: Rototiller Mix processed on 05/01/2023

The first sheet is the actual test data and the second sheet is a calculated table showing the percent of each required nutrient that is now readily available compared to the total present. Further decomposition of the organic fraction will release many of these nutrients as available for plant utilization. The third sheet evaluates the potential rate limiting factors in the top table and in this case, there are no chemical characteristics that would limit the rate to less than normally employed for amendments. The bottom table on that sheet uses an example rate of 43%. At the example rate, the degree to which the compost would satisfy the immediate requirement for each nutrient is indicated.

Approximately 2% of the material was retained on the 1/2" screen. Approximately 94.5% of the amendment passes the 6.4 mm (1/4 inch) screen and 75.3% passes the 2.36 mm (about 1/8 inch). The amount of very fine material present indicates this material will have potential for issues with dustiness at the relatively low as-received moisture level. Actual organic matter content is 173 pounds per cubic yard. Organic matter comprises 20.9% of the material by dry weight.

The carbon to nitrogen ratio of 24.5 is favorable and there should not be much in the way of nitrogen draw as this material further decomposes. The initial level of available nitrogen is low.

At the example rate of 43% volume this amendment would provide a favorable amount of organic matter to benefit soil structure and satisfy the organic matter need for most soil types. At this rate the amendment would also provide a significant nutrient contribution of immediately available potassium, zinc and sulfate. These contributions at the example rate are noted on the last page. This volume rate is equivalent to 8 cubic yards per 1000 square feet for blending to 6 inches depth. This would be adding 1384 pounds organic matter, which would increase organic content of a sandy loam soil by about 5% on a dry weight basis.

Reaction is slightly alkaline at a pH of 7.6 with qualitative lime low. Salinity and soluble levels of sodium, chloride and boron are safely low for use at the recommended rate of incorporation.

The table that follows the data page shows what nutrients are present in total amounts as well as what portion is immediately available. For convenience these results are expressed both on a cubic yard basis and as weight of nutrient and organic matter per as-received ton of Rototiller Mix. Further release from the organic complex will continue to help satisfy plant needs for many of the nutrients.


If we can be of any further assistance, please feel free to contact us.

A handwritten signature in black ink, appearing to read "JK", is positioned above the typed name of Joe Kiefer.

Joe Kiefer, CCA

jkiefer@waypointanalytical.com

Emailed 4 pages: marin.villalpando@greenwaste.com & beto.choa@greenwaste.com

4741 East Hunter Ave., Ste. A Anaheim CA 92807
(714) 282-8777  (714) 282-8575 fax
www.waypointanalytical.com

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 1 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

Nutrient	Total - Dry Weight	Extractable - Dry Weight	Saturation Extract	Sufficiency Factor
Nitrogen (N)	0.51 %	54 ppm		0.5
NH ₄ -N		32 ppm		
NO ₃ -N		22 ppm		
Phosphorus (P)	0.09 %	29 ppm		0.5
Phosphorus (P ₂ O ₅)	0.21 %	66 ppm		
Potassium (K)	0.26 %	1768 ppm	12.2 meq/L	5.7
Potassium (K ₂ O)	0.31 %	2139 ppm		
Calcium (Ca)	1.77 %	2488 ppm	4.6 meq/L	1.0
Magnesium (Mg)	1.22 %	44 ppm	4.4 meq/L	0.1
Sodium (Na)	0.08 %		16.1 meq/L	
Sulfur (S)	0.08 %			
Sulfate (SO ₄)			6.6 meq/L	2.2
Chloride (Cl)			14.6 meq/L	
Copper (Cu)	64.2 ppm	1.6 ppm		0.8
Zinc (Zn)	85.1 ppm	15 ppm		1.9
Manganese (Mn)	356 ppm	2 ppm		0.1
Iron (Fe)	3450 ppm	18 ppm		0.2
Dilute Acid Fe		0.18 %		
Boron (B)	29.3 ppm		1.27 ppm	4.2

Test	Result
pH (sat paste)	7.6 s.u.
% Half Sat.	51
TEC	170 meq/kg
Qualitative Lime	Low
Salinity (EC of sat ext.)	3.0 dS/m
SAR (Sodium adsorption ratio)	7.58
Sodium as % of ECe	48 %
Bulk Density - Dry	829 lbs/yd ³
Bulk Density - As Received	1011 lbs/yd ³
Moisture - As Received	18.0 %
Organic	20.9 %
Weight of organic / yd ³	173 lbs/yd ³
Weight of mineral / yd ³	656 lbs/yd ³
C/N Ratio	24.5

Gradation	
Wt Percent Retained 1"	0.0 %
Wt Percent Retained 1/2"	2.1 %
Fraction Passing 1/2 inch Screen - Dry Weight Basis	
Screen Opening	% Passing
Passing 9.5mm	98.8 %
Passing 6.4mm (1/4")	94.8 %
Passing 4.75mm	90.4 %
Passing 2.36mm	75.3 %
Passing 1.00mm	52.6 %
Passing 0.50mm	35.1 %

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 2 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

NUTRIENT SUMMARY

Test	Amount Per Cubic Yard				Amount Per Ton, As Rec'd				Available as a % Of Total
	Total		Available		Total		Available		
Nitrogen	4.23	lbs	0.04	lbs	8.36	lbs	0.09	lbs	1
Phosphorus (P)	0.74	lbs	0.02	lbs	1.46	lbs	0.05	lbs	3
Phosphorus (P ₂ O ₅)	1.69	lbs	0.06	lbs	3.34	lbs	0.11	lbs	3
Potassium (K)	2.19	lbs	1.47	lbs	4.34	lbs	2.9	lbs	67
Potassium (K ₂ O)	2.65	lbs	1.77	lbs	5.25	lbs	3.51	lbs	67
Calcium	14.7	lbs	2.06	lbs	29.08	lbs	4.08	lbs	14
Magnesium	10.14	lbs	0.04	lbs	20.05	lbs	0.07	lbs	0
Sulfur	0.66	lbs	0.09	lbs	1.3	lbs	0.18	lbs	14
Copper	0.85	ozs	0.02	ozs	1.68	ozs	0.04	ozs	2
Zinc	1.13	ozs	0.2	ozs	2.23	ozs	0.39	ozs	17
Manganese	4.72	ozs	0.03	ozs	9.34	ozs	0.05	ozs	1
Iron	45.76	ozs	0.24	ozs	90.53	ozs	0.47	ozs	1
Boron	0.39	ozs	0.02	ozs	0.77	ozs	0.03	ozs	4
Organic Matter	173	lbs			343	lbs			

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 3 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

POTENTIAL RATE LIMIT FACTORS

Test	% Volume rate limit	Cubic yard amendment per 1000 sf to 6"							
		1	2	3	4	5	6	7	8
		Volume % amendment blend with sandy loam							
		5	11	16	22	27	32	38	43
EC sat. ext.	85 %								
Sodium sol.	No Limit								
Chloride sol.	No Limit								
Boron sol.	67 %								
NH ₄ -N	No Limit								
Available									
Nitrogen	No Limit								
PO ₄ P	No Limit								
Copper	No Limit								
Zinc	No Limit								

Rate limit estimates based on amending a non-problematic sandy loam

RELATIVE IMMEDIATE NUTRIENT AND ORGANIC VALUE

* Example Rate 43 %	Slight	Moderate	Abundant
Nitrogen			
Phosphorus			
Potassium			
Calcium			
Magnesium			
Copper			
Zinc			
Manganese			
Iron			
Sulfate			
Organic Matter			

* If no chemical characteristics are rate limiting, the example rate is based on organic content of the amendment (up to a max of 43%).

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 1 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

Nutrient	Total - Dry Weight	Extractable - Dry Weight	Saturation Extract	Sufficiency Factor
Nitrogen (N)	0.51 %	54 ppm		0.5
NH ₄ -N		32 ppm		
NO ₃ -N		22 ppm		
Phosphorus (P)	0.09 %	29 ppm		0.5
Phosphorus (P ₂ O ₅)	0.21 %	66 ppm		
Potassium (K)	0.26 %	1768 ppm	12.2 meq/L	5.7
Potassium (K ₂ O)	0.31 %	2139 ppm		
Calcium (Ca)	1.77 %	2488 ppm	4.6 meq/L	1.0
Magnesium (Mg)	1.22 %	44 ppm	4.4 meq/L	0.1
Sodium (Na)	0.08 %		16.1 meq/L	
Sulfur (S)	0.08 %			
Sulfate (SO ₄)			6.6 meq/L	2.2
Chloride (Cl)			14.6 meq/L	
Copper (Cu)	64.2 ppm	1.6 ppm		0.8
Zinc (Zn)	85.1 ppm	15 ppm		1.9
Manganese (Mn)	356 ppm	2 ppm		0.1
Iron (Fe)	3450 ppm	18 ppm		0.2
Dilute Acid Fe		0.18 %		
Boron (B)	29.3 ppm		1.27 ppm	4.2

Test	Result
pH (sat paste)	7.6 s.u.
% Half Sat.	51
TEC	170 meq/kg
Qualitative Lime	Low
Salinity (EC of sat ext.)	3.0 dS/m
SAR (Sodium adsorption ratio)	7.58
Sodium as % of ECe	48 %
Bulk Density - Dry	829 lbs/yd ³
Bulk Density - As Received	1011 lbs/yd ³
Moisture - As Received	18.0 %
Organic	20.9 %
Weight of organic / yd ³	173 lbs/yd ³
Weight of mineral / yd ³	656 lbs/yd ³
C/N Ratio	24.5

Gradation	
Wt Percent Retained 1"	0.0 %
Wt Percent Retained 1/2"	2.1 %
Fraction Passing 1/2 inch Screen - Dry Weight Basis	
Screen Opening	% Passing
Passing 9.5mm	98.8 %
Passing 6.4mm (1/4")	94.8 %
Passing 4.75mm	90.4 %
Passing 2.36mm	75.3 %
Passing 1.00mm	52.6 %
Passing 0.50mm	35.1 %

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 2 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

NUTRIENT SUMMARY

Test	Amount Per Cubic Yard		Amount Per Ton, As Rec'd		Available as a % Of Total
	Total	Available	Total	Available	
Nitrogen	4.23 lbs	0.04 lbs	8.36 lbs	0.09 lbs	1
Phosphorus (P)	0.74 lbs	0.02 lbs	1.46 lbs	0.05 lbs	3
Phosphorus (P ₂ O ₅)	1.69 lbs	0.06 lbs	3.34 lbs	0.11 lbs	3
Potassium (K)	2.19 lbs	1.47 lbs	4.34 lbs	2.9 lbs	67
Potassium (K ₂ O)	2.65 lbs	1.77 lbs	5.25 lbs	3.51 lbs	67
Calcium	14.7 lbs	2.06 lbs	29.08 lbs	4.08 lbs	14
Magnesium	10.14 lbs	0.04 lbs	20.05 lbs	0.07 lbs	0
Sulfur	0.66 lbs	0.09 lbs	1.3 lbs	0.18 lbs	14
Copper	0.85 ozs	0.02 ozs	1.68 ozs	0.04 ozs	2
Zinc	1.13 ozs	0.2 ozs	2.23 ozs	0.39 ozs	17
Manganese	4.72 ozs	0.03 ozs	9.34 ozs	0.05 ozs	1
Iron	45.76 ozs	0.24 ozs	90.53 ozs	0.47 ozs	1
Boron	0.39 ozs	0.02 ozs	0.77 ozs	0.03 ozs	4
Organic Matter	173 lbs		343 lbs		

COMPOST / AMENDMENT EVALUATION

Send To : Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Rototiller Mix	Report Number : 23-121-0026 Customer Number : 01002 Date printed : 05/08/2023 Date received : 05/01/2023 Page : 3 of 3 Lab Number : 59397
--	-----------------------------	---

Sample Id : **Rototiller Mix**

POTENTIAL RATE LIMIT FACTORS

Test	% Volume rate limit	Cubic yard amendment per 1000 sf to 6"							
		1	2	3	4	5	6	7	8
		Volume % amendment blend with sandy loam							
		5	11	16	22	27	32	38	43
EC sat. ext.	85 %								
Sodium sol.	No Limit								
Chloride sol.	No Limit								
Boron sol.	67 %								
NH ₄ -N	No Limit								
Available									
Nitrogen	No Limit								
PO ₄ P	No Limit								
Copper	No Limit								
Zinc	No Limit								

Rate limit estimates based on amending a non-problematic sandy loam

RELATIVE IMMEDIATE NUTRIENT AND ORGANIC VALUE

* Example Rate 43 %	Slight	Moderate	Abundant
Nitrogen			
Phosphorus			
Potassium			
Calcium			
Magnesium			
Copper			
Zinc			
Manganese			
Iron			
Sulfate			
Organic Matter			

* If no chemical characteristics are rate limiting, the example rate is based on organic content of the amendment (up to a max of 43%).