

**COMPOST / AMENDMENT EVALUATION**

Send To : Greenwaste-Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Premium Arbor Mulch	Report Number : <b>26-044-0019</b> Customer Number : 01002 Date printed : 02/18/2026 Date received : 02/13/2026 Page : 1 of 2 Lab Number : 80765
---	----------------------------------	---

Sample Id : **Premium Arbor Mulch**

Nutrient	Total - Dry Weight	Extractable - Dry Weight	Saturation Extract	Sufficiency Factor
Nitrogen (N)	0.3 %	0 ppm		0
NH <sub>4</sub> -N		0 ppm		
NO <sub>3</sub> -N		0 ppm		
Phosphorus (P )		32 ppm		0.1
Phosphorus (P <sub>2</sub> O <sub>5</sub> )		73 ppm		
Potassium (K)		459 ppm	2.7 meq/L	0.7
Potassium (K <sub>2</sub> O )		555 ppm		
Calcium (Ca)		499 ppm	1.9 meq/L	0.5
Magnesium (Mg)		91 ppm	1.2 meq/L	0.4
Sodium (Na)			0.6 meq/L	
Sulfur (S)				
Sulfate (SO <sub>4</sub> )			1.1 meq/L	0.4
Chloride (Cl)				
Copper (Cu)		1.0 ppm		3.8
Zinc (Zn)		2 ppm		1.9
Manganese (Mn)		6 ppm		3.0
Iron (Fe)		0 ppm		0
Dilute Acid Fe		0.01 %		
Boron (B)			0.25 ppm	0.8

Test	Result
pH (sat paste)	4.3 s.u.
% Half Sat.	236
TEC	17 meq/kg
Qualitative Lime	None
Salinity (EC of sat ext.)	0.5 dS/m
SAR (Sodium adsorption ratio)	0.45
Sodium as % of ECe	10 %
Bulk Density - Dry	264 lbs/yd <sup>3</sup>
Bulk Density - As Received	421 lbs/yd <sup>3</sup>
Moisture - As Received	37.3 %
Organic	97.3 %
Weight of organic / yd <sup>3</sup>	257 lbs/yd <sup>3</sup>
Weight of mineral / yd <sup>3</sup>	7 lbs/yd <sup>3</sup>
C/N Ratio	194.2

Gradation	
Wt Percent Retained 1"	0.0 %
Wt Percent Retained 1/2"	52.9 %
<b>Fraction Passing 1/2 inch Screen - Dry Weight Basis</b>	
<b>Screen Opening</b>	<b>% Passing</b>
Passing 9.5mm	53.5 %
Passing 6.4mm ( 1/4")	21.4 %
Passing 4.75mm	9.5 %
Passing 2.36mm	2.2 %
Passing 1.00mm	1.2 %
Passing 0.50mm	0.8 %

**COMPOST / AMENDMENT EVALUATION**

Send To : Greenwaste-Zanker Landscape Materials 675 Los Esteros Road San Jose CA 95134	Project : Premium Arbor Mulch	Report Number : <b>26-044-0019</b> Customer Number : 01002 Date printed : 02/18/2026 Date received : 02/13/2026 Page : 2 of 2 Lab Number : 80765
---	----------------------------------	---

Sample Id : **Premium Arbor Mulch**

**POTENTIAL RATE LIMIT FACTORS**

Test	% Volume rate limit	Cubic yard amendment per 1000 sf to 6"							
		1	2	3	4	5	6	7	8
		Volume % amendment blend with sandy loam							
		5	11	16	22	27	32	38	43
EC sat. ext.	No Limit								
Sodium sol.	No Limit								
Chloride sol.									
Boron sol.	No Limit								
NH <sub>4</sub> -N									
Available Nitrogen									
PO <sub>4</sub> P	No Limit								
Copper	No Limit								
Zinc	No Limit								

Rate limit estimates based on amending a non-problematic sandy loam

**RELATIVE IMMEDIATE NUTRIENT AND ORGANIC VALUE**

* Example Rate 38 %	Slight	Moderate	Abundant
Nitrogen			
Phosphorus			
Potassium	■		
Calcium	■		
Magnesium	■		
Copper			■
Zinc			■
Manganese			■
Iron			
Sulfate	■		
Organic Matter			■

\* If no chemical characteristics are rate limiting, the example rate is based on organic content of the amendment (up to a max of 43%).